



Technologies

ASView

Autonomous Control System

The highly configurable ASView control system has been developed and optimized specifically for use on autonomous surface vehicles. In continuous development since 2008, ASView has been deployed on over 100 unmanned vehicles. It provides us with an industry leading capability to control autonomous surface vehicles safely and reliably. The system comprises of the ASView-Bridge graphical user interface, ASView-Helm remote controller, ASView-Base radio enclosure and the ASView-Core vehicle system. As greater levels of autonomy are being explored we're dedicated to the development of the system to ensure it is always the leading commercially available autonomous surface vehicle control system. We are undertaking industry leading research and development to increase the use of safe and reliable vehicle autonomy.

KEY FEATURES



ASView-Bridge User Interface with on-board camera feedback

- Direct remote control via ASView-Helm
- Assisted remote control: heading, coground and speed hold via ASView-Bridge
- Mission plan via ASView-Bridge UI consisting of lines, orbits and/or station keeping waypoints
- Can be controlled externally through interfaces with third party or open source robotic operating systems
- Supports a variety of navigation sensors
- Able to control and monitor a variety of power generation and propulsion engine, motors and devices
- ASView can interface with a variety of above and below water payloads for deployment, operation and data extraction
- Safety features include emergency stop buttons, geo-fence tool, programable behavior on lost communications and emergency stop methods
- Compatible with large range of commercially available line of sight and satellite communications systems
- Developing advanced autonomous capabilities including collision avoidance and the ability to safely operate over the horizon

APPLICATIONS



ASView-Helm for direct remote control


We are passionate about developing autonomous maritime vessels. Since 2008 we have pioneered the development of unmanned technology. We have designed and built more than 100 vessels which are now deployed all over the world in the service of the oil & gas, scientific and defence sectors. We are the sector's most experienced, tested and successful developer. We employ a world class team to deliver a safe, efficient, and reliable solution.



ASView

TECHNICAL SPECIFICATIONS

ASView	
ASView-Core	The ASView-core comprises of the common elements of all ASV vehicle control systems including standardized control and autopilot hardware, software and vessel interfaces.
ASView-Base	The ASView-Base is a rugged weatherproof enclosure containing radio communications equipment and a server that manages data to and from one or more instances of the ASView-Bridge user interface.
ASView-Bridge	ASView-Bridge is a standardized user interface that provides all control, situational awareness and feedback functionality to the vehicle operator. It provides the operator with electronic nautical charts, mission planning tools, live display of data, video and radar from the vehicle.
ASView-Helm	ASView-Helm is a rugged, mobile wireless remote control unit providing manual teleoperation of the vehicle for launch and recovery or docking operations. It features joysticks and buttons as well as a daylight viewable screen that displays video from selectable cameras on board the vehicle.
Radio Links	ASV is able to offer a range of radio communications systems to suit a customer's range, licensing and budgetary requirements.



209 Cummings Road
 Broussard
 LA 70518-3229
 USA
 +1 337 422 4411
sales@asvglobal.com

Unit 12 Murrills Estate
 Southampton Road
 Portchester
 PO16 9RD
 UK
 +44 (0)2392 382 573
sales@asvglobal.com

Rua Equador, 43, bloco 3
 Sala 422 - Santo Cristo, Rio de
 Janeiro-RJ
 CEP 20220-410
 Brazil
 +55 21 3956-1450
sales@asvglobal.com

1111 Katy Freeway,
 Suite 910
 Houston
 TX 77079
 USA
 +1 713 357 6622
sales@asvglobal.com

© ASV 2019 All rights reserved.
 This publication is for outline information only and may not be used, applied or reproduced for any purpose. The company reserves the right to alter without notice the specification design, or conditions of supply of any product or service.

